United States Department of Agriculture
Animal and Plant Health Inspection Service

ACHAPMAN
35161845183830 insp_id

Inspection Report

Mike Mc Clelland
Mcclelland'S Critters
753 County Road 6618
Banks, AL 36005

Customer ID: **7051**
Certificate: **64-C-0185**
Site: 001
MIKE MC CLELLAND

Type: ROUTINE INSPECTION
Date: Feb-11-2016

3.75 (c) (1)

HOUSING FACILITIES, GENERAL.

** In "Chucky" the rhesus macaques enclosure there were hoses that the facility is using for enrichment that have a green film on it. In "Juanita" the olive baboon and "Crybaby" the rhesus macaques enclosure there is moisture damage to the inside of there night houses. The fire hoses and night houses must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled for the good health and well-being of the animals. Correct by March 11, 2016

3.78 (b)

OUTDOOR HOUSING FACILITIES.

The night houses for the nonhuman primates have heat lamps. The heat lamps have energy efficient bulbs that are generally used for lighting not heating. There is no additional bedding being provided in the night houses. The use of this type of bulb does not provide a sufficient source of heat to adequately protect the nonhuman primates from the cold. Last night the temperature dropped below freezing for more than 4 hours which could be detrimental to the animals health. The animals shall be supplied with adequate heat and/or any additional heat source for the health and well-being of the animals. Correct by February 12, 2016.

3.125 (d) **REPEAT**

FACILITIES, GENERAL.

** In the grizzly bears enclosure there is old dog food caked into the ground and has not been removed. In the enclosure containing the goats, sheep and pigs there were old banana peels, oranges and trash such as hay bale twine, and a plastic container in the enclosure. The banana peels were rotten and odoriferous. The puma's igloo shelter had an abundance of debris that needs to be cleaned out. Food waste, trash and debris needs to be properly disposed of to minimize vermin infestation, odors and disease hazards.

Prepared By: [redacted]
ANNETTE CHAPMAN, D.V.M.
ANNETTE CHAPMAN, D.V.M. USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER Inspector 6048
Date: Feb-11-2016

Received By: [redacted]
(b)(6),(b)(7)(c)
Title: [redacted]
Date: Feb-11-2016

Inspection Report Explanation: http://www.aphis.usda.gov/animal_welfare/downloads/IR_Explanation.pdf

Inspection Report

3.125 **REPEAT**

FACILITIES, GENERAL.

** In the black bear enclosure there is a horizontal wood beam with a tire suspended from it using a chain. The chain is wearing on the wood beam and it has split down the middle. This beam is not structurally sound and should be repaired and/or replaced to prevent the ceiling from collapsing on the bears.

**In the grizzly bears enclosure there are portions of the fence panel that have been cut leaving sharp pointed ends that could potentially injure the animals. All sharp edges and points shall be removed to protect the bears from injury.

The inspection and exit interview was conducted with the owner.

Prepared By:	ANNETTE CHAPMAN, D.V.M.	
	ANNETTE CHAPMAN, D.V.M. USDA, APHIS, Animal Care	**Date:**
Title:	VETERINARY MEDICAL OFFICER Inspector 6048	Feb-11-2016
Received By:	(b)(6),(b)(7)(c)	
		Date:
Title:		Feb-11-2016

Inspection Report Explanation: http://www.aphis.usda.gov/animal_welfare/downloads/IR_Explanation.pdf